



Approval No.: W(001)/10/Lab



Form 39
(Rule 150 E (f) the Drugs & Cosmetics Act, 1940 & Rules, 1945)



TEST REPORT

Party Code : D/UP/19541
* Customer Name : Devinecure Pharmaceuticals
& Address : C-71, Block A, Kalindi Vihar, Agra-282006, Uttar Pradesh . . .

REPORT NO. : FT1202002524

*Customer Ref.No. : NS

*Sample Name : Ceftriaxone Injection IP (Abipraxone-1 gm)

*Reference Date : 30/11/2024

Date of Received : 02/12/2024

Date of Issue : 17/12/2024

Start Date of Analysis : 02/12/2024

Date of Completion : 17/12/2024

*Batch No./Lot No. : C24J-39C

*Batch Size : NS

*Sample Qty. : 5 Vials

*D. L. No. : N-MB/18/201

*Mfg. Date : 10/2024

*Mfg. by : Vellintion Healthcare

*Exp. Date : 09/2026

*Supp. by : Devinecure Pharmaceuticals

RESULTS OF ANALYSIS

Reference : IP 2022 Page No 1801 to 1802

Description : Off white powder filled in colourless glass vials.

Sterility : Complies

Assay (By HPLC) : Each vial contains.

S.No.	Parameters	Results	Label Claim	Limit	Protocols
1.	Ceftriaxone Sodium Eq. to Ceftriaxone	982.82 mg 98.28%	1000 mg	90.0% to 115.0%	IP

Note :- Party asked for the above tests only.

--- End of Test Report ---

Raja Ram Sah
Person In-Charge
Authorized Signatory

Raja Ram Sah
PERSON IN-CHARGE

- Remarks:**
1. This Test Report is not valid without a hologram.
 2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
 4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
 5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
 6. The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
 7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
 8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
 9. Re-testing charges will be applicable in case the results are reproducible.
 10. Duplicable copy will be issued on chargeable basis.
 11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 1 of 1

N.G

* Indicates details provided by the customer