

**SIMA LABS****Sophisticated Industrial Materials  
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,  
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

Approval No.: W(001)/10/Lab

Form 39

(Rule 150 E (f) the Drugs &amp; Cosmetics Act, 1940 &amp; Rules, 1945)

**TEST REPORT**

Party Code : D/UP/19541

\* Customer Name : Devinecure Pharmaceuticals  
& Address

C-71, Block A, Kalindi Vihar, Agra-282006, Uttar Pradesh . . .

REPORT NO. : FT1202002624

\*Customer Ref.No. : NS

\*Reference Date : 30/11/2024

Date of Received : 02/12/2024

Date of Issue : 10/12/2024

Start Date of Analysis : 02/12/2024

Date of Completion : 10/12/2024

\*Batch No./Lot No. : ALD0963B

\*Batch Size : NS

\*Sample Qty. : 5x100ml Bottles

\*Mfg. Date : 11/2024

\*Exp. Date : 10/2026

\*Sample Name : Dextromethorphan Hbr, Phenylephrine Hcl &  
Chlorpheniramine Maleate Syrup (Dekof-DX)

\*D. L. No. : 1127-OSP(H) &amp; 862-B(H)

\*Mfg. by : Alzey Pharmaceuticals Pvt. Ltd.

\*Supp. by : Devinecure Pharmaceuticals

**RESULTS OF ANALYSIS**

Reference : In house specification

Description	: Pink coloured liquid filled in amber colour pet bottles.
Identification	: Gives positive test for Chlorpheniramine Maleate, Phenylaphrine HCl & Dextromethorphan HBr.
Filled volume	: 100 ml (Claim : 100 ml)
pH	: 4.48
Weight/ml	: 1.05243 gm
10.Assay (By UV)	: Each 5 ml contains

S.No.	Parameters	Results	Label Claim	Limit	Protocols
1.	Phenylephrine HCl	4.9636 mg 99.27%	5 mg	90.0% to 110.0%	SIMA/STP/P/613
2.	Chlorpheniramine Maleate	1.9883 mg 99.42%	2 mg	90.0% to 110.0%	SIMA/STP/P/073
3.	Dextromethorphan HBr	9.802 mg 98.02%	10 mg	90.0% to 110.0%	SIMA/STP/P/474

Opinion : In the opinion of the undersigned the sample referred to above is of STANDARD QUALITY as defined in the Act &amp; the Rules made thereunder wrt above tests

--- End of Test Report ---

  
Harish Arora  
Authorized Signatory

PERSON IN-CHARGE

Remarks: 1. This Test Report is not valid without a hologram.

- The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
- Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
- This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
- The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
- The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
- SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
- SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
- Re-testing charges will be applicable in case the results are reproducible.
- Duplicable copy will be issued on chargeable basis.
- SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 1 of 1

N.G

\* Indicates details provided by the customer